

Prenatal Pack

DESCRIPTION

Prenatal Pack, provided by Douglas Laboratories, supplies a prenatal multivitamin/mineral, calcium, and omega-3 fatty acids high in DHA to help support maternal health and wellness during pregnancy and lactation.†

This formula now includes Metafolin® L-methylfolate and vitamin B12 as methylcobalamin, the bioavailable forms of vitamins that the body utilizes directly without need for a conversion process. An important carotenoid called lutein has also been added for its benefit to the developing baby.†

FUNCTIONS

The Prenatal Pack contains a variety of essential vitamins, minerals and nutrients to ensure adequate intake for both mother and child. Studies show that a high percentage of adults and children in North America and other developed countries eat less than the minimum daily allowance of 10 or more essential nutrients.

Calcium is essential for normal bone and skeletal development. The unique nutritional needs of pregnancy and lactation can require additional calcium supplementation to ensure proper bone health and growth.† The omega-3 fatty acid DHA is essential for brain and visual development and is vital throughout pregnancy to support fetal brain growth and formation of the retina and visual cortex.† Lutein is an important antioxidant that helps protect cells from oxidative damage, and is only available through dietary sources such as colored fruits and vegetables. This carotenoid has been found in the cord blood and the mother’s blood during pregnancy and post-partum in breast milk and colostrum. These levels directly reflect dietary intake of lutein by the mother. Lutein is found in the retina and the brain, and therefore a highly beneficial nutrient for the baby’s visual and neural development.†

Prenatal multivitamin/mineral contains Metafolin®, a patented, natural form of (6S) 5-methyltetrahydrofolate (5-MTHF). L-methylfolate is the naturally occurring, predominant form of folate commonly found in cells and is essential for a developing fetus, as it participates as a cofactor in a reaction that involves the remethylation of homocysteine to methionine. Unlike synthetic folic acid, L-methylfolate can be used directly by the body, without the need for an additional conversion via the enzyme (5,10 methylenetetrahydrofolate reductase (MTHFR)). In certain populations, the body’s ability to convert folic acid to 5-MTHF by use of this enzyme may be compromised due to genetic differences. Metafolin® contains only the S isomer of 5-MTHF and has been shown to be the only form of folate to be able to cross the blood-brain barrier.

INDICATIONS

Prenatal Pack may be a useful dietary adjunct for women looking to supplement a healthy diet during pregnancy and lactation.

FORMULA (#66588-30X)

1 Pack Contains:

Vitamin A (as natural beta carotene).....	5000 I.U.
Vitamin C (as ascorbic acid)	80 mg
Vitamin D3 (cholecalciferol)	800 I.U.
Vitamin E (d-alpha tocopheryl acetate)	50 I.U.
Thiamine (as thiamine mononitrate).....	1.5 mg
Riboflavin	1.7 mg
Niacinamide	20 mg
Vitamin B-6 (as pyridoxine HCl)	2 mg
Folate (as L-methylfolate, Metafolin®)	800 mcg
Vitamin B12 (as methylcobalamin).....	10 mcg

Prenatal Pack

Biotin.....	300 mcg
Pantothenic acid	10 mg
(as calcium pantothenate)	
Calcium (citrate)	400 mg
Iron (as Ferronyl®)	27 mg
Iodine (potassium iodine)	150 mcg
Magnesium (citrate)	75 mg
Zinc (citrate)	10 mg
Selenium (selenomethionine).....	75 mcg
Copper (copper glycinate chelate)	1 mg
Manganese (citrate)	1 mg
Chromium (GTF)	150 mcg
Molybdenum (chelate)	75 mcg
Marine Lipid Concentrate	1,000 mg
Yielding:	
Docosahexaenoic acid (DHA)	450 mg
Eicosapentaenoic acid (EPA)	150 mg
Lutein (from marigold flower).....	3 mg

SUGGESTED USE

Pregnant or Lactating Women take 1 pack daily with meals or as directed by a healthcare professional.

SIDE EFFECTS

No adverse side effects have been reported.

STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

REFERENCES

Black MM. Effects of vitamin B12 and folate deficiency on brain development in children. Food Nutr Bull. 2008 Jun;29(2 Suppl):S126-31

Chan AC, van Essen P, Scott H, Haan EA, Sage L, Scott J, Gill TK, Nguyen AM. Folate awareness and the prevalence of neural tube defects in South Australia, 1966-2007. Med J Aust. 2008 Nov 17;189(10):566-9

O. Hasselwander, W. Hönlein, L. Schweillert, K. Krömer (2000): 5-Methyltetrahydrofolate: The active form of folic acid. Functional foods 2000.

Goh YI, Bollano E, Einarson TR, Koren G. Prenatal multivitamin supplementation and rates of congenital anomalies: a metaanalysis. J Obstet Gynaecol Can. 2006 Aug;28(8):680-9

Koo WK, Walters JC, Esterlitz J, et al. Maternal calcium supplementation and fetal bone mineralization. Obstet Gynecol 1999;94:577-82.

Markides M, Neumann MA, Byard RW, Simmer K, Gibson RA. Fatty acid composition of brain, retina, and erythrocytes in breast- and formula-fed infants. Am J Clin Nutr 1994;60:189-194.

Makrides M, Neumann MA, Gibson RA. Effect of maternal docosahexaenoic acid (DHA) supplementation on

Prenatal Pack

breast milk composition. *Europ J Clin Nutr* 1996;50:352-357.

Martinez MJ. Tissue levels of polyunsaturated fatty acids during early human development. *J Pediatr* 1992; 120:S129-138.

Neuringer M, Anderson GJ, Conner WE. The essentiality of n-3 fatty acids for the development and function of the retina and brain. *Ann Rev Nutr.* 1988;8:517-541.

Raman L, Rajalakshmi K, Krishnamachari KAVR, et al. Effect of calcium supplementation to undernourished mothers during pregnancy on the bone density of the neonates. *Am J Clin Nutr* 1978; 31:466-9.

Perrone S, et al. "Effects of Lutein on Oxidative Stress In the Term Newborn." *Neonatology*, 97(1):36-40, 2010.

Rubin LP, et al. "Effect of carotenoid supplementation on plasma carotenoids, inflammation and visual development in preterm infant." *J Perinatol* 32(6):418-24, 2012.

For more information on Prenatal Pack visit douglaslabs.com

† These statements have not been evaluated by the Food and Drug Administration.
This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by
Douglas Laboratories
600 Boyce Road
Pittsburgh, PA 15205
800-245-4440
douglaslabs.com



**You trust Douglas Laboratories.
Your patients trust you.**

© 2013 Douglas Laboratories. All Rights Reserved